

2024-2025 CATALOG

SNOW BLOWERS

60V^{MAX} BATTERY / GAS POWERED



TORO®

POWER CLEAR® SINGLE-STAGE | SNOWMASTER®
POWER MAX® TWO-STAGE | POWER TRX HEAVY-DUTY

Count on it.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. †Based on average TraQline dollar share for walk behind mower market as of June 2023.

60V MAX* SNOW BLOWERS



Driveways that can hold up to 9 cars and 2-9" / 5-23 cm of snow with limited garage storage. Single-stage and two-stage models available.

60V^{MAX} BATTERY



SURFACE TYPE



MODERATE SLOPE



CARS / DRIVEWAY



CORDED ELECTRIC SNOW BLOWERS



Ideal for sidewalks, steps, decks and small driveways. Corded Power Shovel also available.



SURFACE TYPE



STEPS, DECKS
AND SIDEWALKS



CARS / DRIVEWAY



SNOWMASTER® SNOW BLOWERS



Driveways that can hold up to 12 cars and 2-9" / 5-23 cm of snow.



SURFACE TYPE



MODERATE SLOPE



CARS / DRIVEWAY



POWER CLEAR® SINGLE-STAGE SNOW BLOWERS



Driveways that can hold up to 9 cars and 2-9" / 5-23 cm of snow with limited garage storage.



SURFACE TYPE



MODERATE SLOPE



CARS / DRIVEWAY



POWER MAX® AND POWER MAX® HD TWO-STAGE SNOW BLOWERS



Larger driveways that can hold up to 20 parked cars and 9-21" / 23-53 cm of snow at a time.



SURFACE TYPE



MODERATE SLOPE



CARS / DRIVEWAY



POWER TRX® HEAVY DUTY TRACKED TWO-STAGE SNOW BLOWERS



Extra-large driveways, heavy accumulation and making quick work of 10"+ / 25.4 cm+ of snow.



SURFACE TYPE



MODERATE SLOPE



CARS / DRIVEWAY



60V MAX* BATTERY SNOW BLOWERS

FEAR NO STORM

No gas. No oil. Just 60V battery power that's ready when you need it.

60V^{MAX} BATTERY

IDEAL FOR Driveways that can hold up to 9 cars and 2-9" / 5-23 cm of snow with limited garage storage

MODEL	CORE					PREMIUM		
	60V POWER SHOVEL	SINGLE-STAGE POWER CLEAR® 60V E21	SNOWMASTER POWER CLEAR® 60V E24	TWO-STAGE POWER MAX® 60V E24	TWO-STAGE POWER MAX® 60V E24	SP SINGLE-STAGE POWER CLEAR® 60V E21	SNOWMASTER POWER CLEAR® 60V E24	TWO-STAGE POWER MAX HA 60V E26
	39909	39901	39914	39924	39925	39921	39915	39926
CLEARING WIDTH	12" / 30.5 cm	21" / 53.3 cm	24" / 61.0 cm	24" / 61.0 cm	24" / 61.0 cm	21" / 53.3 cm	24" / 61 cm	26" / 66.0 cm
CLEARING CAPACITY**	Decks, patios and up to 4 parked cars	Up to 12 parked cars	Up to 20 parked cars	Up to 24 parked cars (12 cars per battery) Up to 15 cars more with additional 3rd battery	Up to 20 parked cars	Up to 15 parked cars	Up to 30 parked cars	Up to 30 parked cars (15 cars per battery) Up to 15 cars more with additional 3rd battery
SNOW CUT DEPTH	6" / 15.2 cm	12" / 30.5 cm	18" / 45.7 cm	20" / 50.8 cm	20" / 50.8 cm	12" / 30.5 cm	18" / 45.7 cm	20" / 50.8 cm
BATTERY	1 x 2.5 ah	1 x 7.5 ah	1 x 10.0 ah	2 x 6.0 ah	1 x 10.0 ah	1 x 10.0 ah	1 x 10.0 ah + 1 x 5.0 ah	2 x 7.5 ah
CHARGE TIME	60 min	180 min	300 min	150 min	150 min	180 min	300 min	180 min
THROWING DISTANCE**	Up to 25' / 7.6 m	Up to 40' / 12.2 m	Up to 40' / 12.2 m	Up to 45' / 13.7 m	Up to 45' / 13.7 m	Up to 30' / 9.1 m	Up to 40' / 12.2 m	Up to 45' / 13.7 m
AUGER SYSTEM	Power Curve®	Patent Pending Power Edge®	In-Line Two Stage	Power Max Anti-Clogging System	Power Max Anti-Clogging System	Power Curve® Self-Propel	In-Line Two Stage	Power Max Anti-Clogging System
AUGER DIAMETER	6.5" / 16.5 cm	7" / 17.8 cm	10" / 25.4 cm	11" / 27.9 cm	11" / 27.9 cm	8.5" / 21.6 cm	10" / 25.4 cm	11" / 27.9 cm
IMPELLER DIAMETER	-	-	-	11" / 27.9 cm	11" / 27.9 cm	-	-	11" / 27.9 cm
AUGER GEARBOX	-	-	-	Hardened Gears; No Shear Pins	Hardened Gears; No Shear Pins	-	-	Hardened Gears; No Shear Pins
HANDLE	-	Adjustable	Personal Pace®	Standard	Standard	Ergonomic	Personal Pace®	Heavy-Duty
DEFLECTOR	-	Locking	Single	Single	Single	Locking	Single	Single
CHUTE CONTROL	-	Quick Turn	Quick Stick®	Quick Stick®	Quick Stick®	Chute Mounted	Quick Stick®	Quick Stick®
CHUTE CONSTRUCTION	-	Sub Zero Curved Chute	High Capacity Chute	Steel	Steel	High Capacity Chute	High Capacity Chute	Steel
TIRES	-	6 7/8" x 2" 17.5 cm x 5.1 cm	11" / 27.9 cm	15" / 38.1 cm	15" / 38.1 cm	7" / 17.8 cm	11" / 27.9 cm	15" / 38.1 cm
HAND WARMERS	-	-	-	-	-	-	-	Standard
LIGHT	-	Panoramic LED	-	LED	LED	Panoramic LED	Panoramic LED	LED
WARRANTY***	3-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery
BARE TOOL MODEL #	39909T	39901T	-	-	-	39921T	39915T	39926T

*Battery manufacturer rating = 60V maximum and 54V typical usage. Actual voltage varies with load. **Throw distance and clearing capacity will vary with conditions. ***See retailer for complete warranty details.

SNOWMASTER® SNOW BLOWERS

TEAR THROUGH THE ROUGHEST SNOW AND ICE IN RECORD TIME.

Easy enough for anyone to handle,
and still powers through tough,
end-of-driveway snow.

CORDED ELECTRIC SNOW BLOWERS

MAKE SMALL SNOW CLEARING JOBS A SNAP.

An ideal choice for sidewalks,
steps, decks and small
driveways.

	CORE	PREMIUM
	SNOWMASTER 724 QXE	SNOWMASTER 824 QXE
MODEL	36002	36003
CLEARING WIDTH	24" / 61.0 cm	24" / 61.0 cm
SNOW CUT DEPTH	18" / 45.7 cm	18" / 45.7 cm
ENGINE	212cc Toro Premium OHV	252cc Toro Premium OHV
DRIVE SYSTEM	Self-Propelled Personal Pace	Self-Propelled Personal Pace
STARTING	Electric	Electric
THROWING DISTANCE**	Up to 40' / 12.2 m	Up to 45' / 13.7 m
AUGER SYSTEM	In-Line Two-Stage	In-Line Two-Stage
AUGER DIAMETER	10" / 25.4 cm	10" / 25.4 cm
IMPELLER DIAMETER	10" / 25.4 cm	10" / 25.4 cm
CHUTE CONTROL	Quick Stick®	Quick Stick®
TIRES	11" / 27.9 cm	11" / 27.9 cm
WARRANTY***	3-Year Limited	3-Year Limited

	POWER SHOVEL*	1800 POWER CURVE*
MODEL	38361	38381
CLEARING WIDTH	12" / 30.5 cm	18" / 45.7 cm
WEIGHT	13 lbs / 5.9 kg	26 lbs / 11.8 kg
THROWING DISTANCE**	Up to 20' / 6.1 m	Up to 30' / 9.1 m
CHUTE CONTROL	–	Quick Lever
DEFLECTOR	–	Locking
DEPTH OF SNOW CUT, ONE PASS	6" / 15.2 cm	10" / 25.4 cm
WARRANTY***	2-Year Limited	2-Year Limited

**Throw distance and clearing capacity will vary with conditions.

***See retailer for complete warranty details.

FREE EXTRA YEAR ENGINE WARRANTY

on qualifying snow blowers
with Toro engines when you
purchase a maintenance kit.

Purchase of kit must be at same time as snow blower.
Product must be registered to activate warranty extension.
Offer applies only to snow blowers with Toro engines.
For residential use only, not valid on commercial use.
See dealer or toro.com for complete warranty details and
maintenance kit compatible with snow blower purchased.



Maintenance Kit 138-0698

Single-Stage Models 38474, 38475

Maintenance Kit 138-0704

Two-Stage Models 38801, 38802, 38806,
38830, 38840, 38841, 38842

Maintenance Kit 138-0699

Single-Stage Models 38741, 38742, 38744, 38752, 38753, 38756, 38757

Two-Stage Models 36001, 36002, 36003, 37779, 37780, 37781, 37793,
37797, 37798, 37799, 37802, 38805, 38838

TORO®

©2024 The Toro Company All Rights Reserved.
Specifications subject to change without notice and without incurring
obligation. Products depicted are for demonstration purposes only.
Actual products offered for sale may vary in design,
required attachments and safety features.

SN_2425_BROCHURE_ENG

POWER CLEAR® SINGLE-STAGE SNOW BLOWERS

GET THE JOB DONE FASTER.

Trusted by professionals perfectly blending power and efficiency, the Power Clear makes quick work of small driveways, walkways and patios.



IDEAL FOR Driveways that can hold up to 9 cars and 2-9" / 5-23 cm of snow with limited garage storage

	CORE			PREMIUM			CONTRACTOR GRADE	
	POWER CLEAR® 518 ZR	POWER CLEAR 721 R	POWER CLEAR 721 QZE	POWER CLEAR® 518 ZE	POWER CLEAR 721 E	POWER CLEAR 821 QZE	COMMERCIAL POWER CLEAR 721 R-C	COMMERCIAL POWER CLEAR 821 R-C
MODEL	38474	38752	38756	38475	38753	38757	38754	38755
CLEARING WIDTH	18" / 45.7 cm	21" / 53.3 cm	21" / 53.3 cm	18" / 45.7 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm w/ Extended Life Paddles	21" / 53.3 cm w/ Extended Life Paddles
SNOW CUT DEPTH	12" / 30.5 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12" / 30.5 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm
ENGINE	99cc Toro Premium OHV	212cc Toro Premium OHV	212cc Toro Premium OHV	99cc Toro Premium OHV	212cc Toro Premium OHV	252cc Toro Premium OHV	212cc Toro Premium OHV	212cc Toro Premium OHV
DRIVE SYSTEM	Rotor Propelled	Self-Propelled Power Propel®	Self-Propelled Power Propel®	Rotor Propelled	Self-Propelled Power Propel®	Self-Propelled Power Propel®	Self-Propelled Power Propel®	Self-Propelled Power Propel®
STARTING	Recoil	Recoil	Electric	Electric	Electric	Electric	Recoil	Recoil
THROWING DISTANCE*	Up to 25' / 7.6 m	Up to 35' / 10.7 m	Up to 35' / 10.7 m	Up to 25' / 7.6 m	Up to 35' / 10.7 m	Up to 40' / 12.2 m	Up to 35' / 10.7 m	Up to 40' / 12.2 m
AUGER SYSTEM	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve
HANDLE	Standard	Ergonomic	Ergonomic	Standard	Ergonomic	Ergonomic	Reinforced & Ergonomic Handle	Reinforced & Ergonomic Handle
DEFLECTOR	Locking	Locking	Locking	Locking	Locking	Locking	Locking	Locking
CHUTE CONTROL	Chute Mounted	Chute Mounted	Quick Chute	Chute Mounted	Chute Mounted	Quick Chute	Chute Mounted	Chute Mounted
TIRES	6" x 1.5" / 15.2 x 3.8 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	6" x 1.5" / 15.2 x 3.8 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm
WARRANTY**	2-Year Limited 2-Year Guaranteed to Start			2-Year Limited 2-Year Guaranteed to Start			2-Year Limited Residential, 1-Year Limited Commercial 2-Year Guaranteed to Start Residential Only	

Throw distance and clearing capacity will vary with conditions. *See retailer for complete warranty details.



Power Clear 721 QZE

212cc Toro Premium OHV Engine
Self-Propelled Power Propel®
21" / 53 cm Clearing Width



Power Clear 821 QZE

252cc Toro Premium OHV Engine
Self-Propelled Power Propel®
21" / 53 cm Clearing Width



POWER TO BLAST THROUGH SNOW

Toro's powerful 4-cycle OHV engines give you the power to slice through snow in no time and throw it up to 40 feet/12m.



GET A MOVE ON

Keep moving to get done faster with self-propel Power Propel® system. The unique scraper pulls you through the snow. Select models.



SHREDS SNOW FAST

Efficiently shreds through snow while reducing clogging with the curved rubber paddles and housing of Power Curve® Technology.

BUILT TOUGH AND DEPENDABLE FOR EVEN THE MOST EXTREME CONDITIONS.

Take control of big snow jobs this winter with the speed and ease of Power Max and Power Max HD.

IDEAL FOR Larger driveways that can hold 6-14 parked cars and 6-20" / 15-50 cm of snow at a time

	CORE		PREMIUM	
	POWER MAX 724 OE	POWER MAX 824 OE	POWER MAX 826 OAE	POWER MAX 826 OHAE
MODEL	37807	37798	37799	37805
CLEARING WIDTH	24" / 61.0 cm	24" / 61.0 cm	26" / 66.0 cm	26" / 66.0 cm
SNOW CUT DEPTH	20" / 50.8 cm	20" / 50.8 cm	20" / 50.8 cm	20" / 50.8 cm
ENGINE	212cc Toro Premium OHV	252cc Toro Premium OHV	252cc Toro Premium OHV	252cc Toro Premium OHV
DRIVE SYSTEM	Self-Propelled	Self-Propelled	Triggerless Steering	Triggerless Steering
STARTING	Electric	Electric	Electric	Electric
THROWING DISTANCE*	Up to 40' / 12.2 m	Up to 45' / 13.7 m	Up to 45' / 13.7 m	Up to 45' / 13.7 m
AUGER SYSTEM	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging
AUGER DIAMETER	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm
IMPELLER DIAMETER	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm
AUGER GEARBOX	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins
HANDLE	Standard	Standard	Standard	Heavy-Duty
DEFLECTOR	Single	Single	Single	Single
CHUTE CONTROL	Quick Stick®	Quick Stick®	Quick Stick®	Quick Stick®
TIRES	15" / 38.1 cm	15" / 38.1 cm	15" / 38.1 cm	15" / 38.1 cm
HAND WARMERS	–	–	–	✓
LED LIGHT	–	–	✓	✓
WARRANTY**	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

*Throw distance and clearing capacity will vary with conditions. ***See retailer for complete warranty details.



Power Max HD 828 OAE

Commercial-Grade
Auger Gear Box
All-Steel Construction
16" / 40.6 cm Tires



Power Max HD 1030 OHAE

30" / 76 cm Clearing Width
302cc Toro Premium
OHV Engine
Double Deflector
Hand Warmers Standard



Power Max 826 OHAE

Hand Warmers Standard
Heavy Duty Handle
Construction
26" / 66 cm Clearing Width



POWER UP

Optimal performance and years of dependable use with the 252cc Toro premium 4-cycle OHV engine.



TRIGGERLESS STEERING

No triggers to pull or levers to break! Turn the machine and the wheel intelligently disengages to assist you through for effortless turns.



CHUTE CONTROL

Quickly change the chute and deflector direction with a single, smooth motion thanks to the Quick Stick® chute control.



IDEAL FOR Larger driveways that can hold up to 20 parked cars and 9-21" / 23-53 cm of snow at a time

	CORE	PREMIUM		CONTRACTOR GRADE	
	POWER MAX HD 828 OAE	POWER MAX HD 1030 OHAE	POWER MAX HD 1232 OHXE	COMMERCIAL POWER MAX HD 1428 OHXE	COMMERCIAL POWER MAX HD 1432 OHXE
MODEL	38838	38830	38842	38843	38844
CLEARING WIDTH	28" / 71.1 cm	30" / 76.2 cm	32" / 81.3 cm	28" / 71.1 cm	32" / 81.3 cm
SNOW CUT DEPTH	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm
ENGINE	252cc Toro Premium OHV	302cc Toro Premium OHV	375cc Toro Premium OHV	420cc Toro Premium OHV	420cc Toro Premium OHV
DRIVE SYSTEM	Triggerless Steering	Triggerless Steering	Power Steering	Power Steering	Power Steering
STARTING	Electric	Electric	Electric	Electric	Electric
THROWING DISTANCE*	Up to 45' / 13.7 m	Up to 49' / 14.9 m	Up to 57' / 17.4 m	Up to 60'+ / 18.3 m+	Up to 60'+ / 18.3 m+
AUGER SYSTEM	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging
AUGER DIAMETER	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm
IMPELLER DIAMETER	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm
AUGER GEARBOX	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins
HANDLE	Heavy-Duty	Heavy-Duty	Heavy-Duty	Commercial	Commercial
DEFLECTOR	Single	Double	Double	Double	Double
CHUTE CONTROL	Quick Stick®	Quick Stick®	Quick Stick®	Quick Stick®	Quick Stick®
TIRES	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm
HAND WARMERS	-	✓	✓	✓	✓
LED LIGHT	✓	✓	✓	✓	✓
WARRANTY**	3-Year Limited	3-Year Limited	3-Year Limited	5-Year Limited / 1-Year Commercial	5-Year Limited / 1-Year Commercial

Throw distance and clearing capacity will vary with conditions. *See retailer for complete warranty details.



NO SHEAR PINS!

No need to replace shear pins in the cold with Toro's hardened gears and commercial-grade auger gearbox.



PRECISION MOVES

Smooth, tight turns are a snap with power steering.



DOUBLE CHUTE DEFLECTOR

Place the snow with greater precision, such as right next to your fence line, or throw the distance with a double deflector.

POWER TRX® HEAVY DUTY TRACKED TWO-STAGE SNOW BLOWERS

WHEN A MONSTER STORM ROARS IN, ROAR BACK.

Featuring our biggest engine, the Power RX is built for your snowiest jobs, toughest terrain and steepest slopes.



IDEAL FOR Extra-large driveways, heavy accumulation and making quick work of 10"+ / 25.4 cm+ of snow

	CONTRACTOR GRADE	
	COMMERCIAL POWER TRX HD 1428 OHXE	COMMERCIAL POWER TRX HD 1432 OHXE
MODEL	38890	38891
CLEARING WIDTH	28" / 71.1 cm	32" / 81.3 cm
SNOW CUT DEPTH	21" / 53.3 cm	21" / 53.3 cm
ENGINE	420cc Toro Premium OHV	420cc Toro Premium OHV
DRIVE SYSTEM	Self-Propelled Hydrostatic Transmission and Power Steering	Self-Propelled Hydrostatic Transmission and Power Steering
STARTING	Electric	Electric
THROWING DISTANCE*	Up to 60'+ / 18.3 m+	Up to 60'+ / 18.3 m+
AUGER SYSTEM	Power Max Anti-Clogging	Power Max Anti-Clogging
AUGER DIAMETER	14" / 35.6 cm	14" / 35.6 cm
IMPELLER DIAMETER	14" / 35.6 cm	14" / 35.6 cm
AUGER GEARBOX	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins
HANDLE	Commercial	Commercial
DEFLECTOR	Double	Double
CHUTE CONTROL	Quick Stick®	Quick Stick®
TIRES	Tracked	Tracked
HAND WARMERS	✓	✓
LED LIGHT	✓	✓
WARRANTY**	5-Year Limited, 1-Year Commercial	5-Year Limited, 1-Year Commercial



Power TRX HD 1428 OHXE / 1432 OHXE

Self-Propelled Hydrostatic Transmission
Tracked Driven for Ultimate Performance
Commercial Grade All-Steel Construction
420cc Toro Premium OHV Engine

FREE EXTRA YEAR ENGINE WARRANTY



on qualifying snow blowers with
Toro engines when you purchase
a maintenance kit.

Purchase of kit must be at same time as snow blower.
Product must be registered to activate warranty
extension. Offer applies only to snow blowers with Toro
engines. For residential use only, not valid on commercial
use. See dealer or toro.com for complete warranty
details and maintenance kit compatible with snow
blower purchased.

Throw distance and clearing capacity will vary with conditions. *See retailer for complete warranty details.



UNMATCHED STABILITY
Track driven allows
you to handle the steepest
slopes or dig into hard
packed snow.



**SMOOTH HANDLING AND
LOW MAINTENANCE**
Hydrostatic transmission
allows for self-propelled
operation with infinitely
variable speed.

TORO®